U.S. DEPARTMENT OF COMMERCE
National Technical Information Service

PB-265 583

Brant Lake, Lake County South Dakota

National Eutrophication Survey, Corvallis, Oreg

Prepared for

Corvallis Environmental Research Lab, Oreg

Dec 76

27

PB 265 583

U.S. ENVIRONMENTAL PROTECTION AGENCY
NATIONAL EUTROPHICATION SURVEY

WORKING PAPER SERIES

CORVALLIS ENVIRONMENTAL RESEARCH LABORATORY - CORVALLIS, OREGON

and

ENVIRONMENTAL MONITORING & SUPPORT LABORATORY - LAS VEGAS, NEVADA

REPRODUCED BY
NATIONAL TECHNICAL
INFORMATION SERVICE
U. S. DEPARTMENT OF COMMERCE
SPRINGFIELD, VA. 22161

☆G.P.O. 699-440

TECHNICAL REPORT DATA *(Please read Instructions on the reverse before completing)*		
1. REPORT NO.	2.	3. RECIPIENT'S ACCESSION NO.
4. TITLE AND SUBTITLE Report on Brant Lake, Lake County, South Dakota		5. REPORT DATE Prepared December 1976 6. PERFORMING ORGANIZATION CODE
7. AUTHOR(S) Anonymous (National Eutrophication Survey Staff)		8. PERFORMING ORGANIZATION REPORT NO. Working Paper # 601
9. PERFORMING ORGANIZATION NAME AND ADDRESS National Eutrophication Survey U.S. Environmental Protection Agency 200 S. W. 35th St. Corvallis, Oregon 97330		10. PROGRAM ELEMENT NO. 11. CONTRACT/GRANT NO.
12. SPONSORING AGENCY NAME AND ADDRESS Office of Research and Development U.S. Environmental Protection Agency 401 M Street, S. W. Washington, DC 20460		13. TYPE OF REPORT AND PERIOD COVERED Final - 1974 14. SPONSORING AGENCY CODE

15. SUPPLEMENTARY NOTES
Prepared in cooperation with the U.S. Environmental Protection Agency, National Environmental Research Center, Las Vegas, Nevada 89114

16. ABSTRACT

Annual total phosphorus and total nitrogen loadings to the lake were estimated and subdivided according to either point or non-point source origin. An assessment of the lake's trophic condition and limiting nutrient is also provided. All data collected by the U.S.E.P.A. National Eutrophication Survey during the one year study of the lake and its tributaries are included in the report.

17. KEY WORDS AND DOCUMENT ANALYSIS

a. DESCRIPTORS	b. IDENTIFIERS/OPEN ENDED TERMS	c. COSATI Field/Group
eutrophication lakes nutrients phosphorus nitrogen loading		05B 05C

18. DISTRIBUTION STATEMENT	19. SECURITY CLASS *(This Report)*	21. NO. OF PAGES
Release unlimited		27
	20. SECURITY CLASS *(This page)*	22. PRICE PC A03-MF A01

EPA Form 2220-1 (9-73)

REPORT
ON
BRANT LAKE
LAKE COUNTY
SOUTH DAKOTA

EPA REGION VIII

WORKING PAPER No. 601

WITH THE COOPERATION OF THE

SOUTH DAKOTA DEPARTMENT OF ENVIRONMENTAL PROTECTION

AND THE

SOUTH DAKOTA NATIONAL GUARD

DECEMBER, 1976

CONTENTS

	Page
Foreward	ii
List of South Dakota Study Lakes	iv
Lake and Drainage Area Map	v
Sections	
I. Conclusions	1
II. Lake and Drainage Basin Characteristics	1
III. Lake Water Quality Summary	2
IV. Nutrient Loadings	3
V. Literature Reviewed	7
VI. Appendices	8

FOREWORD

The National Eutrophication Survey was initiated in 1972 in response to an Administration commitment to investigate the nationwide threat of accelerated eutrophication to freshwater lakes and reservoirs.

OBJECTIVES

The Survey was designed to develop, in conjunction with state environmental agencies, information on nutrient sources, concentrations, and impact on selected freshwater lakes as a basis for formulating comprehensive and coordinated national, regional, and state management practices relating to point-source discharge reduction and non-point source pollution abatement in lake watersheds.

ANALYTIC APPROACH

The mathematical and statistical procedures selected for the Survey's eutrophication analysis are based on related concepts that:

a. A generalized representation or model relating sources, concentrations, and impacts can be constructed.

b. By applying measurements of relevant parameters associated with lake degradation, the generalized model can be transformed into an operational representation of a lake, its drainage basin, and related nutrients.

c. With such a transformation, an assessment of the potential for eutrophication control can be made.

LAKE ANALYSIS

In this report, the first stage of evaluation of lake and watershed data collected from the study lake and its drainage basin is documented. The report is formatted to provide state environmental agencies with specific information for basin planning [§303(e)], water quality criteria/standards review [§303(c)], clean lakes [§314(a,b)], and water quality monitoring [§106 and §305(b)] activities mandated by the Federal Water Pollution Control Act Amendments of 1972.

Beyond the single lake analysis, broader based correlations between nutrient concentrations (and loading) and trophic condition are being made to advance the rationale and data base for refinement of nutrient water quality criteria for the Nation's freshwater lakes. Likewise, multivariate evaluations for the relationships between land use, nutrient export, and trophic condition, by lake class or use, are being developed to assist in the formulation of planning guidelines and policies by EPA and to augment plans implementation by the states.

ACKNOWLEDGMENT

The staff of the National Eutrophication Survey (Office of Research & Development, U. S. Environmental Protection Agency) expresses sincere appreciation to the South Dakota Departments of Environmental Protection and Game, Fish and Parks for professional involvement, to the South Dakota National Guard for conducting the tributary sampling phase of the Survey, and to those wastewater treatment plant operators who voluntarily provided effluent samples.

Allyn Lockner, Secretary, and Blaine Barker and Duane Murphy, Department of Environmental Quality; Douglas Hansen, Department of Game, Fish and Parks; and James Hayden, Director, State Lakes Preservation Committee provided invaluable lake documentation and counsel during the Survey, reviewed the preliminary reports, and provided critiques most useful in the preparation of this Working Paper series.

Major General Duane L. Corning, the Adjutant General of South Dakota, and Project Officer Colonel Robert D. Chalberg, who directed the volunteer efforts of the South Dakota National Guardsmen, are also gratefully acknowledged for their assistance to the Survey.

NATIONAL EUTROPHICATION SURVEY

STUDY LAKES

STATE OF SOUTH DAKOTA

LAKE NAME	COUNTY
Albert	Kingsbury
Alvin	Lincoln
Angostura	Fall River
Brant	Lake
Byron	Beadle
Clear	Marshall
Clear	Minnehaha
Cochrane	Deuel
Cottonwood	Spink
Deerfield	Pennington
Enemy Swim	Day
Herman	Lake
John	Hamlin
Kampeska	Codington
Madison	Lake
Mitchell	Davidson
Norden	Hamlin
East Oakwood	Brookings
West Oakwood	Brookings
Pactola	Pennington
Pickerel	Day
Poinsett	Brookings, Lake
Red Iron South	Marshall
Richmond	Brown
Roy	Marshall
Sand	Brown
Sheridan	Pennington
Stockdale	Custer
East Vermillion	McCook
Wall	Minnehaha
Waubay	Day


LAKES HERMAN, MADISON, & BRANT
Tributary Sampling Site
Lake Sampling Site
Sewage Treatment Facility
Km.
Mi.
Scale
Madison
Silver Creek
Lake Herman
Lake Madison
Brant Lake
Long Lake
Skunk Creek
S. Dak.
Map Location

BRANT LAKE

STORET NO. 4604

I. INTRODUCTION

Brant Lake was included in the National Eutrophication Survey as a water body of interest to the South Dakota Departments of Environmental Protection and Game, Fish and Parks. Tributaries and nutrient sources were not sampled, and this report relates only to lake sampling data.

II. CONCLUSIONS

A. Trophic Condition:

Survey data indicate that Brant Lake is eutrophic. It ranked seventeenth in overall trophic quality when the 31 South Dakota lakes sampled in 1974 were compared using a combination of six parameters*. Seventeen of the lakes had less and one had the same median total phosphorus, 23 had less median dissolved orthophosphorus, 14 had less median inorganic nitrogen, 16 had less mean chlorophyll a, and nine had greater mean Secchi disc transparency.

Survey limnologists noted algal blooms in progress in July and September.

B. Rate-Limiting Nutrient:

The algal assay results indicate that Brant Lake was limited by nitrogen at the times the samples were collected (04/23/74 and 09/20/74). The lake data indicate nitrogen limitation at all sampling stations and times.

---

* See Appendix A.

III. LAKE AND DRAINAGE BASIN CHARACTERISTICS†

A. Lake Morphometry††:

1. Surface area: 4.05 kilometers^2.
2. Mean depth: 3.4 meters.
3. Maximum depth: 4.3 meters.
4. Volume 13.770 x 10^6 m^3.

B. Precipitation*:

1. Year of sampling: 51.6 centimeters.
2. Mean annual: 61.8 centimeters.

---

† Table of metric equivalents--Appendix B.
†† Murphy, 1974.
* See Working Paper No. 175, "...Survey Methods, 1973-1976".

IV. LAKE WATER QUALITY SUMMARY

Brant Lake was sampled three times during the open-water season of 1974 by means of a pontoon-equipped Huey helicopter. Each time, samples for physical and chemical parameters were collected from two stations on the lake and from two or more depths at each station (see map, page v). During each visit, a single depth-integrated (near bottom to surface) sample was composited from the stations for phytoplankton identification and enumeration; and during the first and last visits, single 18.9-liter depth-integrated samples were composited for algal assays. Also each time, a depth-integrated sample was collected from each of the stations for chlorophyll a analysis. The maximum depths sampled were 2.7 meters at station 1 and 3.0 meters at station 2.

The sampling results are presented in full in Appendix C and are summarized in the following table.

A. SUMMARY OF PHYSICAL AND CHEMICAL CHARACTERISTICS FOR GRANT LAKE
STORET CODE 4604

PARAMETER	1ST SAMPLING (4/23/74) 2 SITES RANGE	MEAN	MEDIAN	2ND SAMPLING (7/12/74) 2 SITES RANGE	MEAN	MEDIAN	3RD SAMPLING (9/20/74) 2 SITES RANGE	MEAN	MEDIAN
TEMP (C)	10.0 - 10.1	10.0	10.0	24.3 - 25.6	24.9	24.9	15.5 - 17.0	16.8	16.7
DISS OXY (MG/L)	9.4 - 9.4	9.4	9.4	3.2 - 8.8	5.6	4.8	8.0 - 8.4	8.2	8.2
CNDCTVY (MCROMO)	1255. - 1259.	1258.	1258.	1794. - 1830.	1813.	1815.	1557. - 1567.	1563.	1563.
PH (STAND UNITS)	8.1 - 8.3	8.2	8.2	8.9 - 9.2	9.0	9.0	8.7 - 8.7	8.7	8.7
TOT ALK (MG/L)	182. - 182.	182.	182.	161. - 163.	162.	163.	175. - 178.	176.	176.
TOT P (MG/L)	0.072 - 0.127	0.089	0.079	0.158 - 0.248	0.202	0.200	0.194 - 0.200	0.196	0.196
ORTHO P (MG/L)	0.023 - 0.030	0.025	0.024	0.098 - 0.156	0.117	0.113	0.114 - 0.119	0.116	0.116
NO2+NO3 (MG/L)	0.040 - 0.080	0.060	0.060	0.020 - 0.030	0.023	0.020	0.020 - 0.030	0.022	0.020
AMMONIA (MG/L)	0.140 - 0.170	0.157	0.160	0.060 - 0.100	0.088	0.090	0.110 - 0.120	0.112	0.110
KJEL N (MG/L)	1.600 - 1.800	1.725	1.750	1.800 - 2.800	2.200	2.000	2.200 - 2.500	2.350	2.350
INORG N (MG/L)	0.180 - 0.240	0.217	0.225	0.080 - 0.130	0.112	0.115	0.130 - 0.140	0.135	0.135
TOTAL N (MG/L)	1.640 - 1.880	1.785	1.810	1.820 - 2.830	2.223	2.020	2.220 - 2.530	2.372	2.370
CHLRPYL A (UG/L)	0.6 - 0.9	0.7	0.7	11.4 - 146.7	79.0	[illegible].0	13.2 - 32.1	22.6	22.6
SECCHI (METERS)	2.1 - 3.7	2.9	2.9	0.9 - 1.1	1.0	1.0	1.2 - 1.2	1.2	1.2

B. Biological characteristics:

1. Phytoplankton

Sampling Date	Dominant Genera	Algal Units per ml
04/23/74	1. Cryptomonas sp.	61
	2. Chroomonas sp.	30
	Total	91
07/12/74	1. Apharizomenon sp.	6,848
	2. Chroomonas sp.	280
	3. Stephanodiscus sp.	25
	4. Oscillatoria sp.	25
	5. Cryptomonas sp.	25
	Other genera	26
	Total	7,229
09/20/74	1. Aphanizomenon sp.	1,595
	2. Oscillatoria sp.	271
	3. Chroomonas sp.	271
	Total	2,137

2. Chlorophyll a -

Sampling Date	Station Number	Chlorophyll a (µg/l)
04/23/74	1	0.9
	2	0.6
07/12/74	1	11.4
	2	146.7
09/20/74	1	32.1
	2	13.2

C. Limiting Nutrient Study:

1. Autoclaved, filtered, and nutrient spiked -

a. April sample -

Spike (mg/l)	Ortho P Conc. (mg/l)	Inorganic N Conc. (mg/l)	Maximum yield (mg/l-dry wt.)
Control	0.020	0.142	4.0
0.050 P	0.070	0.142	4.5
0.050 P + 1.0 N	0.070	1.142	21.2
1.0 N	0.020	1.142	5.8

b. September sample -

Spike (mg/l)	Ortho P Conc. (mg/l)	Inorganic N Conc. (mg/l)	Maximum yield (mg/l-dry wt.)
Control	0.105	0.256	12.7
0.05 P	0.155	0.256	12.4
0.05 P + 1.0 N	0.155	1.256	23.4
1.0 N	0.105	1.256	25.4

2. Discussion -

The control yields of the assay alga, Selenastrum capricornutum, indicate that the potential primary productivity of Brant Lake was moderately high in April and high in September. Also, in both assays the lack of yield increase with the addition of phosphorus until nitrogen was also added indicates that the lake was limited by nitrogen at that time. Note that the addition of nitrogen alone resulted in yields significantly greater than those of the controls.

The lake data substantiate nitrogen limitation; i.e., the mean inorganic nitrogen/orthophosphorus ratios were 9/1 or less at all sampling stations and times, and nitrogen limitation would be expected.

V. LITERATURE REVIEWED

Murphy, Duane G. 1974. Personal communication (lake morphometry). SD Dept. of Env. Prot., Pierre.

Petri, Lester R., and L. Rodney Larson, 1966(?). Quality of water in selected lakes of eastern South Dakota. Rept. of Inv. #1, SD Water Res. Comm., Pierre.

VI. APPENDICES

APPENDIX A

LAKE RANKINGS

LAKE DATA TO BE USED IN RANKINGS

LAKE CODE	LAKE NAME	MEDIAN TOTAL P	MEDIAN INORG N	500-MEAN SEC	MEAN CHLORA	15-MIN DO	MEDIAN DISS ORTHO P
4601	LAKE ALBERT	0.321	0.170	489.111	106.289	9.200	0.019
4602	ALVIN LAKE	0.067	0.970	442.833	4.700	9.400	0.017
4603	ANGOSTURA RESERVOIR	0.019	0.160	423.333	3.717	13.000	0.005
4604	BRANT LAKE	0.194	0.130	432.833	34.150	11.800	0.113
4605	LAKE BYRON	0.443	0.370	488.333	149.350	9.000	0.146
4606	CLEAR LAKE	0.027	0.075	430.167	11.983	8.800	0.009
4607	CLEAR LAKE	1.400	0.270	495.333	691.000	7.000	0.468
4608	COCHRANE LAKE	0.037	0.150	446.000	15.683	15.000	0.008
4609	COTTONWOOD LAKE	0.685	0.265	490.333	112.017	8.600	0.417
4610	DEERFIELD RESERVOIR	0.033	0.080	303.333	3.650	15.000	0.022
4611	ENEMY SWIM LAKE	0.037	0.085	442.600	14.200	8.200	0.013
4612	LAKE HERMAN	0.340	0.155	485.000	58.733	8.600	0.174
4613	ST JOHN LAKE	0.349	0.080	489.400	120.880	9.800	0.025
4614	LAKE KAMPESKA	0.220	0.105	468.889	20.567	8.200	0.128
4615	MADISON LAKE	0.250	0.090	445.555	22.578	14.000	0.107
4616	LAKE MITCHELL	0.099	0.085	465.833	14.883	13.800	0.015
4617	LAKE NORDEN	0.256	0.165	488.667	46.800	10.000	0.050
4618	OAKWOOD LAKE EAST	0.146	0.175	487.000	113.600	10.000	0.009
4619	OAKWOOD LAKE WEST	0.181	0.135	485.833	159.667	9.600	0.021
4620	PACTOLA RESERVOIR	0.011	0.070	248.444	1.478	11.000	0.006
4621	PICKEREL LAKE	0.049	0.095	439.833	15.833	9.600	0.009
4622	LAKE POINSETT	0.115	0.315	468.444	40.211	10.000	0.023
4623	LAKE RED IRON SOUTH	0.042	0.110	430.333	6.883	7.600	0.010
4624	RICHMOND LAKE	0.187	0.150	410.000	18.467	10.000	0.144
4625	ROY LAKE	0.034	0.070	431.000	13.333	11.000	0.010
4626	SAND LAKE	0.489	0.110	471.800	65.790	12.800	0.288
4627	SHERIDAN LAKE	0.053	0.105	394.000	15.433	15.000	0.016
28	STOCKADE LAKE	0.233	0.150	432.000	25.400	15.000	0.109

LAKE DATA TO BE USED IN RANKINGS

LAKE CODE	LAKE NAME	MEDIAN TOTAL P	MEDIAN INORG N	500-MEAN SEC	MEAN CHLORA	15-MIN DO	MEDIAN DISS ORTHO P
4629	LAKE VERMILLION	0.211	0.100	472.833	100.800	9.200	0.092
4630	WALL LAKE	0.194	0.160	441.667	55.267	7.400	0.076
4631	WAUBAY LAKE NORTH	0.098	0.145	469.555	127.033	11.400	0.023

PERCENT OF LAKES WITH HIGHER VALUES (NUMBER OF LAKES WITH HIGHER VALUES)

LAKE CODE	LAKE NAME	MEDIAN TOTAL P	MEDIAN INORG N	500-MEAN SEC	MEAN CHLORA	15-MIN DO	MEDIAN DISS ORTHO P	INDEX NO
4601	LAKE ALBERT	20 (6)	20 (6)	10 (3)	23 (7)	68 (20)	60 (18)	201
4602	ALVIN LAKE	67 (20)	0 (0)	57 (17)	90 (27)	63 (19)	63 (19)	340
4603	ANGOSTURA RESERVOIR	97 (29)	30 (9)	87 (26)	93 (28)	20 (6)	100 (30)	427
4604	BRANT LAKE	40 (12)	53 (16)	70 (21)	47 (14)	27 (8)	23 (7)	260
4605	LAKE BYRON	10 (3)	3 (1)	17 (5)	7 (2)	73 (22)	13 (4)	123
4606	CLEAR LAKE	93 (28)	93 (28)	83 (25)	83 (25)	77 (23)	90 (27)	519
4607	CLEAR LAKE	0 (0)	10 (3)	0 (0)	0 (0)	100 (30)	0 (0)	110
4608	COCHRANE LAKE	83 (25)	40 (11)	50 (15)	67 (20)	5 (0)	93 (28)	338
4609	COTTONWOOD LAKE	3 (1)	13 (4)	3 (1)	20 (6)	82 (24)	3 (1)	124
4610	DEERFIELD RESERVOIR	90 (27)	88 (26)	97 (29)	97 (29)	5 (0)	53 (16)	430
4611	ENEMY SWIM LAKE	80 (24)	82 (24)	60 (18)	77 (23)	88 (26)	73 (22)	460
4612	LAKE HERMAN	17 (5)	33 (10)	27 (8)	33 (10)	82 (24)	10 (3)	202
4613	ST JOHN LAKE	13 (4)	88 (26)	7 (2)	13 (4)	53 (16)	43 (13)	217
4614	LAKE KAMPESKA	33 (10)	65 (19)	40 (12)	57 (17)	88 (26)	20 (6)	303
4615	MADISON LAKE	27 (8)	77 (23)	53 (16)	53 (16)	13 (4)	30 (9)	253
4616	LAKE MITCHELL	60 (18)	82 (24)	47 (14)	73 (22)	17 (5)	70 (21)	349
4617	LAKE NORDEN	23 (7)	23 (7)	13 (4)	40 (12)	45 (12)	40 (12)	184
4618	OAKWOOD LAKE EAST	53 (16)	17 (5)	20 (6)	17 (5)	45 (12)	85 (25)	237
4619	OAKWOOD LAKE WEST	50 (15)	50 (15)	23 (7)	3 (1)	58 (17)	57 (17)	241
4620	PACTOLA RESERVOIR	100 (30)	98 (29)	100 (30)	100 (30)	35 (10)	97 (29)	530
4621	PICKEREL LAKE	73 (22)	73 (22)	67 (20)	63 (19)	58 (17)	85 (25)	419
4622	LAKE POINSETT	57 (17)	7 (2)	43 (13)	43 (13)	45 (12)	47 (14)	242
4623	LAKE RED IRON SOUTH	77 (23)	58 (17)	80 (24)	87 (26)	93 (28)	78 (23)	473
4624	RICHMOND LAKE	47 (14)	40 (11)	90 (27)	60 (18)	45 (12)	17 (5)	299
4625	ROY LAKE	87 (26)	98 (29)	77 (23)	80 (24)	35 (10)	78 (23)	455
4626	SAND LAKE	7 (2)	58 (17)	33 (10)	30 (9)	23 (7)	7 (2)	158
4627	SHERIDAN LAKE	70 (21)	65 (19)	93 (28)	70 (21)	5 (0)	67 (20)	370
4628	STOCKADE LAKE	30 (9)	40 (11)	73 (22)	50 (15)	5 (0)	27 (8)	225

PERCENT OF LAKES WITH HIGHER VALUES (NUMBER OF LAKES WITH HIGHER VALUES)

LAKE CODE	LAKE NAME	MEDIAN TOTAL P	MEDIAN INORG N	500-MEAN SEC	MEAN CHLORA	15-MIN DO	MEDIAN DISS ORTHO P	INDEX NO
4629	LAKE VERMILLION	37 (11)	70 (21)	30 (9)	27 (8)	68 (20)	33 (10)	265
4630	WALL LAKE	43 (13)	27 (8)	63 (19)	37 (11)	97 (29)	37 (11)	304
4631	WAUBAY LAKE NORTH	63 (19)	47 (14)	37 (11)	10 (3)	30 (9)	50 (15)	237

LAKES RANKED BY INDEX NOS.

RANK	LAKE CODE	LAKE NAME	INDEX NO
1	4620	PACTOLA RESERVOIR	530
2	4606	CLEAR LAKE	519
3	4623	LAKE RED IRON SOUTH	473
4	4611	ENEMY SWIM LAKE	460
5	4625	ROY LAKE	455
6	4610	DEERFIELD RESERVOIR	430
7	4603	ANGOSTURA RESERVOIR	427
8	4621	PICKEREL LAKE	419
9	4627	SHERIDAN LAKE	370
10	4616	LAKE MITCHELL	349
11	4602	ALVIN LAKE	340
12	4608	COCHRANE LAKE	338
13	4630	WALL LAKE	304
14	4614	LAKE KAMPESKA	303
15	4624	RICHMOND LAKE	299
16	4629	LAKE VERMILLION	265
17	4604	BRANT LAKE	260
18	4615	MADISON LAKE	253
19	4622	LAKE POINSETT	242
20	4619	OAKWOOD LAKE WEST	241
21	4631	WAUBAY LAKE NORTH	237
22	4618	OAKWOOD LAKE EAST	237
23	4628	STOCKADE LAKE	225
24	4613	ST JOHN LAKE	217
25	4612	LAKE HERMAN	202
26	4601	LAKE ALBERT	201
27	4617	LAKE NORDEN	184
28	4626	SAND LAKE	158

LAKES RANKED BY INDEX NOS.

RANK	LAKE CODE	LAKE NAME	INDEX NO
29	4609	COTTONWOOD LAKE	124
30	4605	LAKE BYRON	123
31	4607	CLEAR LAKE	110

APPENDIX B

CONVERSION FACTORS

CONVERSION FACTORS

Hectares x 2.471 = acres

Kilometers x 0.6214 = miles

Meters x 3.281 = feet

Cubic meters x 8.107×10^{-4} = acre/feet

Square kilometers x 0.3861 = square miles

Cubic meters/sec x 35.315 = cubic feet/sec

Centimeters x 0.3937 = inches

Kilograms x 2.205 = pounds

Kilograms/square kilometer x 5.711 = lbs/square mile

APPENDIX C

PHYSICAL and CHEMICAL DATA

455401
43 54 55.0 096 58 22.0
DIXON LAKE
46071 SOUTH DAKOTA

11EPALES
3

2111202
0011 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	00010 WATER TEMP CENT	00300 DO MG/L	00077 TRANSP SECCHI INCHES	00094 CNDUCTVY FIELD MICROMHO	00400 PH SU	00410 T ALK CACO3 MG/L	00610 NH3-N TOTAL MG/L	00625 TOT KJEL N MG/L	00630 NO2&NO3 N-TOTAL MG/L	00671 PHOS-DIS ORTHO MG/L P
74/04/23	14 35	0000	10.1			1259	8.30	182	0.160	1.800	0.060	0.025
	14 35	0002	10.1	9.4	84	1254						
	14 35	0007	10.0	9.4		1258						
74/07/12	14 25	0000	25.3	3.6			8.20	182	0.140	1.600	0.040	0.024
	14 25	0004	24.3	3.4	42	1825	9.10	161	0.090	2.000	0.020K	0.112
	14 25	0006	24.3	3.2		1747	9.00	163	0.060	2.000	0.020K	0.094
	14 25	0008	24.3	3.2		1744	8.90	163	0.040	1.900	0.020K	0.117
74/04/20	11 05	0003	10.7	8.2	49	1560	8.71	177	0.110	2.500	0.020K	0.116
	11 05	0009	10.3	8.2		1557	8.70	175	0.110	2.200	0.020K	0.114

DATE FROM TO	TIME OF DAY	DEPTH FEET	00665 PHOS-TOT MG/L P	32217 CHLRPHYL A UG/L	00031 INCDT LT REMAINS PERCENT
74/04/23	14 35	0000	0.072	0.9	
	14 35	0007	0.077		
74/07/12	14 25	0000	0.158	11.4	
	14 25	0004	0.171		
	14 25	0006			1.0
	14 25	0008	0.197		
74/04/20	11 05	0003	0.200	32.1	
	11 05	0009	0.197		

K VALUE KNOWN TO BE
LESS THAN INDICATED

Reproduced from best available copy.

about retrieval date 78/11/20

480402
W3 55 32.0 096 57 15.0
BRANT LAKE
ROUTE SOUTH DAKOTA

11EPALES
3

2111202
0012 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	00010 WATER TEMP CENT	00300 DO MG/L	00077 TRANSP SECCHI INCHES	00094 CNDUCTVY FIELD MICROMHO	00400 PH SU	00410 T ALK CACO3 MG/L	00610 NH3-N TOTAL MG/L	00625 TOT KJEL N MG/L	00630 NO2&NO3 N-TOTAL MG/L	00671 PHOS-DIS ORTHO MG/L P
74/04/23	14 50	0000	10.0		144	1257	8.20	182	0.160	1.700	0.050	0.025
	14 50	0002	10.0	9.4		1257						
	14 50	0008	10.0	9.4		1255	8.10	182	0.170	1.800	0.070	0.030
74/07/12	16 05	0000	25.5	8.8	36	1830	9.20	163	0.100	2.800	0.030	0.107
	16 05	0004	25.1	6.0		1827	9.10	161	0.090	2.700	0.030	0.114
	16 05	0008	24.7	8.4		1805	9.09	162	0.100	1.800	0.020K	0.156
74/04/20	10 47	0000	17.0	8.4	48	1567	8.71	175	0.110	2.500	0.030	0.116
	10 47	0010	16.6	8.0		1566	8.73	178	0.120	2.200	0.020	0.119

DATE FROM TO	TIME OF DAY	DEPTH FEET	00662 PHOS-TOT MG/L P	32217 CHLRPHYL A UG/L	01031 INCDT LT REMNING PERCENT
74/04/23	14 50	0000	0.062	0.6	
	14 50	0008	0.127		
74/07/12	16 05	0000	0.204	146.7	1.0
	16 05	0004	0.248		
	16 05	0008	0.239		
74/04/20	10 47	0000	0.195	13.2	
	10 47	0004			50.0
	10 47	0008			5.0
	10 47	0010	0.194		
	10 47	0012			1.0

K VALUE KNOWN TO BE
LESS THAN INDICATED

.61.